

Appendix K

STATUTES AND REGULATIONS

This appendix has been designed to present only those laws and regulations, or portions thereof, which pertain more or less directly to structural fire prevention and protection in and near the wildlands. As such, this appendix should only be used as a quick field reference. For full and current text, meaning and proper context of laws and regulations, reference should be made to the applicable codes, manuals, directives, etc.

I. STATE LAWS

A. *Government Code*

Section 51175 – Fire Prevention.

The Legislature hereby finds and declares as follows:

(a) Fires are extremely costly, not only to property owners and residents, but also to local agencies. Fires pose a serious threat to the preservation of the public peace, health, or safety. Since fires ignore civil boundaries, it is necessary that cities, counties, special districts, state agencies, and federal agencies work together to bring raging fires under control. Preventive measures are therefore needed to ensure the preservation of the public peace, health, or safety.

(b) The prevention of fires is not a municipal affair, as that term is used in Section 5 of Article XI of the California Constitution, but is instead, a matter of statewide concern. It is the intent of the Legislature that this chapter apply to all local agencies, including, but not limited to, charter cities, charter counties, and charter cities and counties. This subdivision shall not limit the authority of a local agency to impose more restrictive fire and panic safety requirements, as otherwise authorized by law.

(c) It is not the intent of the Legislature in enacting this chapter to limit or restrict the authority of a local agency to impose more restrictive fire and panic safety requirements, as otherwise authorized by law.

Section 51176 – Fire Hazard Classification.

The purpose of this chapter is to classify lands in the state in accordance with whether a very high fire hazard is present so that public officials are able to identify measures that will retard the rate of spread, and reduce the potential intensity, of uncontrolled fires that threaten to destroy resources, life, or property, and to require that those measures be taken.

Section 51177 - Definitions.

As used in this chapter:

(a) "Director" means the Director of Forestry and Fire Protection.

(b) "Very high fire hazard severity zone" means an area designated by the director pursuant to Section 51178 that is not a state responsibility area.

(c) "Local agency" means a city, county, city and county, or district responsible for fire protection within a very high fire hazard severity zone.

(d) "Single specimen tree" means any live tree that stands alone in the landscape so as to be clear of buildings, structures, combustible vegetation, or other trees, and that does not form a means of rapidly transmitting fire from the native growth to any occupied dwelling or structure.

(e) "State responsibility areas" means those areas identified pursuant to Section 4102 of the Public Resources Code.

Section 51178 – Identification of Very High Fire Hazard Severity Zones.

(a) The director shall identify areas in the state as very high fire hazard severity zones based on consistent statewide criteria and based on the severity of fire hazard that is expected to prevail in those areas. Very high fire hazard severity zones shall be based on fuel loading, slope, fire weather, and other relevant factors.

(b) On or before January 1, 1995, the director shall identify areas as very high fire hazard severity zones in the Counties of Alameda, Contra Costa, Los Angeles, Marin, Napa, Orange, Riverside, San Bernardino, San Francisco, San Mateo, Santa Barbara, Santa Clara, Solano, Sonoma, and Ventura. This information shall be transmitted to all local agencies with identified very high fire hazard severity zones within 30 days.

(c) On or before January 1, 1996, the director shall identify areas as very high fire hazard severity zones in all other counties. This information shall be transmitted to all local agencies with identified high fire hazard severity zones within 30 days.

Section 51178.5 – Public Review.

Within 30 days after receiving a transmittal from the director that identifies very high fire hazard severity zones, a local agency shall make the information available for public review. The information shall be presented in a format that is understandable and accessible to the general public, including, but not limited to, maps.

Section 51179 – Designation by Local Agency.

(a) A local agency shall designate, by ordinance, very high fire hazard severity zones in its jurisdiction within 120 days of receiving recommendations from the director pursuant to subdivisions (b) and (c) of Section 51178. A local agency shall be exempt from this requirement if ordinances of the local agency, adopted on or before December 31, 1992, impose standards that are equivalent to, or more restrictive than, the standards imposed by this chapter.

(b) A local agency may, at its discretion, exclude from the requirements of Section 51182 an area identified as a very high fire hazard severity zone by the director within the jurisdiction of the local agency, following a finding supported by substantial evidence in the record that the requirements of Section 51182 are not necessary for effective fire protection within the area.

(c) A local agency may, at its discretion, include areas within the jurisdiction of the local agency, not identified as very high fire hazard severity zones by the director, as very high fire hazard severity zones following a finding supported by substantial evidence in the record that the requirements of Section 51182 are necessary for effective fire protection within the area.

(d) Changes made by a local agency to the recommendations made by the director shall be final and shall not be rebuttable by the director.

(e) The State Fire Marshal shall prepare and adopt a model ordinance that provides for the establishment of very high fire hazard severity zones.

(f) Any ordinance adopted by a local agency pursuant to this section that substantially conforms to the model ordinance of the State Fire Marshal shall be presumed to be in compliance with the requirements of this section.

(g) A local agency shall post a notice at the office of the county recorder, county assessor, and county planning agency identifying the location of the map provided by the director pursuant to Section 51178. If the agency amends the map, pursuant to subdivision (b) or (c) of this section, the notice shall

instead identify the location of the amended map.

Section 51180 – Natural Conditions.

For the purposes of Division 3.6 (commencing with Section 810) of Title 1, vegetation removal or management, undertaken in whole or in part, for fire prevention or suppression purposes shall not be deemed to alter the natural condition of public property. This section shall apply only to natural conditions of public property and shall not limit any liability or immunity that may otherwise exist pursuant to this chapter.

Section 51181 – Periodic Review.

The director shall periodically review the areas in the state identified as very high fire hazard severity zones pursuant to this chapter, and as necessary, shall make recommendations relative to very high fire hazard severity zones. This review shall coincide with the review of state responsibility area lands every five years and, when possible, fall within the time frames for each county's general plan update. Any revision of areas included in a very high fire hazard severity zone shall be made in accordance with Sections 51178 and 51179.

Section 51182 – Vegetation Management.

(a) Any person who owns, leases, controls, operates, or maintains any occupied dwelling or occupied structure in, upon, or adjoining any mountainous area, forest-covered land, brush-covered land, grass-covered land, or any land that is covered with flammable material, which area or land is within a very high fire hazard severity zone designated by the local agency pursuant to Section 51179, shall at all times do all of the following:

(1) Maintain around and adjacent to the dwelling or structure a firebreak made by removing and clearing away, for a distance of not less than 30 feet on each side thereof or to the property line, whichever is nearer, all flammable vegetation or other combustible growth. This paragraph does not apply to single specimens of trees, ornamental shrubbery, or similar plants that are used as ground cover, if they do not form a means of rapidly transmitting fire from the native growth to any dwelling or structure.

(2) Maintain around and adjacent to the occupied dwelling or occupied structure additional fire protection or firebreaks made by removing all brush, flammable vegetation, or combustible growth that is located from 30 feet to 100 feet from the occupied dwelling or occupied structure or to the property line, whichever is nearer, as may be required by the local agency if the local agency finds that, because of extra hazardous conditions, a firebreak of only 30 feet around the occupied dwelling or occupied structure is not sufficient to provide reasonable fire safety. Grass and other vegetation located more than 30 feet from the dwelling or structure and less than 18 inches in height above the ground may be maintained where necessary to stabilize the soil and prevent erosion.

(3) Remove that portion of any trees that extends within 10 feet of the outlet of any chimney or stovepipe.

(4) Maintain any tree adjacent to or overhanging any building free of dead or dying wood.

(5) Maintain the roof of any structure free of leaves, needles, or other dead vegetative growth.

(6) Provide and maintain at all times a screen over the outlet of every chimney or stovepipe that is attached to any fireplace, stove, or other device that burns any solid or liquid fuel. The screen shall be constructed and installed in accordance with the California Building Standards Code.

(b) A person is not required under this section to maintain any clearing on any land if that person does not have the legal right to maintain the clearing, nor is any person required to enter upon or to damage property that is owned by any other person without the consent of the owner of the property.

Section 51183 - Exemptions.

(a) The local agency may exempt from the standards set forth in Section 51182 structures with exteriors constructed entirely of nonflammable materials, or conditioned upon the contents and composition of the structure, and may vary the requirements respecting the removing or clearing away of flammable vegetation or other combustible growth with respect to the area surrounding the structures. In no case shall this subdivision be deemed to authorize a local agency to vary any requirement that is a building standard subject to Section 18930 of the Health and Safety Code, except as otherwise authorized by law.

(b) No exemption or variance shall apply unless and until the occupant thereof, or if there be no occupant, then the owner thereof, files with the local agency a written consent to the inspection of the interior and contents of the structure to ascertain whether the provisions of Section 51182 are complied with at all times.

Section 51183.5 – Natural Hazard Disclosure.

(a) A transferor of real property that is located within a very high fire hazard severity zone, designated pursuant to this chapter, shall disclose to any prospective transferee the fact that the property is located within a very high fire hazard severity zone, and is subject to the requirements of Section 51182.

(b) Disclosure is required pursuant to this section only when one of the following conditions is met:

(1) The transferor, or the transferor's agent, has actual knowledge that the property is within a very high fire hazard severity zone.

(2) A map that includes the property has been provided to the local agency pursuant to Section 51178, and a notice is posted at the offices of the county recorder, county assessor, and county planning agency that identifies the location of the map and any information regarding changes to the map received by the local agency.

(c) In all transactions that are subject to Section 1103 of the Civil Code, the disclosure required by subdivision (a) of this section shall be provided by either of the following means:

(1) The Local Option Real Estate Disclosure Statement as provided in Section 1102.6a of the Civil Code.

(2) The Natural Hazard Disclosure Statement as provided in Section 1103.2 of the Civil Code.

(d) If the map or accompanying information is not of sufficient accuracy or scale that a reasonable person can determine if the subject real property is included in a very high fire hazard zone, the transferor shall mark "Yes" on the Natural Hazard Disclosure Statement. The transferor may mark "No" on the Natural Hazard Disclosure Statement if he or she attaches a report prepared pursuant to subdivision (c) of Section 1103.4 of the Civil Code that verifies the property is not in the hazard zone. Nothing in this subdivision is intended to limit or abridge any existing duty of the transferor or the transferor's agents to exercise reasonable care in making a determination under this subdivision.

(e) Section 1103.13 of the Civil Code shall apply to this section.

(f) The specification of items for disclosure in this section does not limit or abridge any obligation for disclosure created by any other provision of law or that may exist in order to avoid fraud, misrepresentation, or deceit in the transfer transaction.

Section 51184 – Environmental Exceptions.

(a) Section 51182 shall not apply to any land or water area acquired or managed for one or more of the following purposes or uses:

(1) Habitat for endangered or threatened species, or any species that is a candidate for listing as an endangered or threatened species by the state or federal government.

(2) Lands kept in a predominantly natural state as habitat for wildlife, plant, or animal communities.

(3) Open space lands that are environmentally sensitive parklands.

(4) Other lands having scenic values, as declared by the local agency, or by state or federal law.

(b) This exemption applies whether the land or water area is held in fee title or any lesser interest.

This exemption applies to any public agency, any private entity that has dedicated the land or water areas to one or more of those purposes or uses, or any combination of public agencies and private entities making that dedication.

(c) This section shall not be construed to prohibit the use of properly authorized prescribed burning to improve the biological function of land or to assist in the restoration of desired vegetation.

(d) In the event that any lands adjacent to any land or water area described in subdivision (a) are improved such that they are subject to Section 51182, the obligation to comply with Section 51182 shall be with the person owning, leasing, controlling, operating, or maintaining the occupied dwelling or occupied structure on the improved lands. All maintenance activities and other fire prevention measures required by Section 51182 shall be required only for the improved lands, not the land and water areas described in subdivision (a).

Section 51185 – Penalties for Violations.

(a) A violation of Section 51182 is an infraction punishable by a fine of not less than one hundred dollars (\$100) nor more than five hundred dollars (\$500).

(b) If a person is convicted of a second violation of Section 51182 within five years, that person shall be punished by a fine of not less than two hundred fifty dollars (\$250) nor more than five hundred dollars (\$500).

(c) If a person is convicted of a third violation of Section 51182 within five years, that person is guilty of a misdemeanor and shall be punished by a fine of not less than five hundred dollars (\$500).

Section 51186 – Notification of Violation.

The local agency having jurisdiction of property upon which conditions regulated by Section 51182 are being violated shall notify the owner of the property to correct the conditions. If the owner fails to correct the conditions, the local agency may cause the corrections to be made, and the expenses incurred shall become a lien on the property that is the subject of the corrections when recorded in the county recorder's office in the county in which the real property is located. The priority of the lien shall be as of the date of recording. The lien shall contain the legal description of the real property, the assessor's parcel number, and the name of the owner of record as shown on the latest equalized assessment roll.

Section 51187 – Public Nuisance.

Any violation of Section 51182 may be considered a public nuisance pursuant to Section 38773.

Section 51188 – Conflicting Statutes.

In the instance of conflict between this chapter and any provision of state law that allows a regional planning agency to regulate very high fire hazard severity zones, this chapter shall prevail.

Section 51189 – Space and Structure Defensibility.

(a) The Legislature finds and declares that space and structure defensibility is essential to diligent fire prevention. This defensibility extends beyond the vegetation management practices required by this chapter, and includes, but is not limited to, measures that increase the likelihood of a structure to withstand intrusion by fire, such as building design and construction requirements that use fire resistant building

materials, and provide protection of structure projections, including porches, decks, balconies and eaves, and structure openings including attic and eave vents and windows.

(b) No later than July 1, 1996, the State Fire Marshal, in consultation with the Director of Forestry and Fire Protection, shall prepare and adopt a model ordinance that provides for comprehensive space and structure defensibility, including in very high fire severity zones.

(c) Upon adoption of the model ordinances, the State Fire Marshal shall transmit copies of the ordinance to the appropriate local agencies in every jurisdiction that contains a very high fire hazard severity zone, and to the Director of Forestry and Fire Protection.

(d) The State Fire Marshal shall make every feasible effort to obtain funds from federal, state, local, and other appropriate sources to assist in developing and preparing the model ordinance.

B. Health and Safety Code (HSC)

Section 13108.5 - Buildings in Fire Hazard Severity Zones

The State Fire Marshal shall propose, and the State Building Standards Commission shall adopt, amend, and repeal regulations for openings into the attic areas of buildings in those fire hazard severity zones, including very high fire hazard severity zones, designated by the Director of Forestry and Fire Protection pursuant to Article 9 (commencing with Section 4201) of Chapter 1 of Part 2 of Division 4 of the Public Resources Code, and in very high fire hazard severity zones designated by a local agency pursuant to Chapter 6.8 (commencing with Section 51175) of Part 1 of Division 1 of Title 5 of the Government Code.

Section 13132.7 – Roofing Regulations.

(a) Within a very high fire hazard severity zone designated by the Director of Forestry and Fire Protection pursuant to Article 9 (commencing with Section 4201) of Chapter 1 of Part 2 of Division 4 of the Public Resources Code and within a very high hazard severity zone designated by a local agency pursuant to Chapter 6.8 (commencing with Section 51175) of Part 1 of Division 1 of Title 5 of the Government Code, the entire roof covering of every existing structure where more than 50 percent of the total roof area is replaced within any one-year period, every new structure, and any roof covering applied in the alteration, repair, or replacement of the roof of every existing structure, shall be a fire retardant roof covering that is at least class B as defined in the Uniform Building Code, as adopted and amended by the State Building Standards Commission.

(b) In all other areas, the entire roof covering of every existing structure where more than 50 percent of the total roof area is replaced within any one-year period, every new structure, and any roof covering applied in the alteration, repair, or replacement of the roof of every existing structure, shall be a fire retardant roof covering that is at least class C as defined in the Uniform Building Code, as adopted and amended by the State Building Standards Commission.

(c) Notwithstanding subdivision (b), within state responsibility areas classified by the State Board of Forestry and Fire Protection pursuant to Article 3 (commencing with Section 4125) of Chapter 1 of Part 2 of Division 4 of the Public Resources Code, except for those state responsibility areas designated as moderate fire hazard responsibility zones, the entire roof covering of every existing structure where more than 50 percent of the total roof area is replaced within any one-year period, every new structure, and any roof covering applied in the alteration, repair, or replacement of the roof of every existing structure, shall be a fire retardant roof covering that is at least class B as defined in the Uniform Building Code, as adopted and amended by the State Building Standards Commission.

(d) (1) Notwithstanding subdivision (a), (b), or (c), within very high fire hazard severity zones designated by the Director of Forestry and Fire Protection pursuant to Article 9 (commencing with Section 4201) of Chapter 1 of Part 2 of Division 4 of the Public Resources Code or by a local agency pursuant to

Chapter 6.8 (commencing with Section 51175) of Part 1 of Division 1 of Title 5 of the Government Code, the entire roof covering of every existing structure where more than 50 percent of the total roof area is replaced within any one-year period, every new structure, and any roof covering applied in the alteration, repair, or replacement of the roof of every existing structure, shall be a fire retardant roof covering that is at least class A as defined in the Uniform Building Code, as adopted and amended by the State Building Standards Commission.

(2) Paragraph (1) does not apply to any jurisdiction containing a very high fire hazard severity zone if the jurisdiction fulfills both of the following requirements:

(A) Adopts the model ordinance approved by the State Fire Marshal pursuant to Section 51189 of the Government Code or an ordinance that substantially conforms to the model ordinance of the State Fire Marshal.

(B) Transmits, upon adoption, a copy of the ordinance to the State Fire Marshal.

(e) The State Building Standards Commission shall incorporate the requirements set forth in subdivisions (a), (b), and (c) by publishing them as an amendment to the California Building Standards Code in accordance with Chapter 4 (commencing with Section 18935) of Part 2.5 of Division 13.

(f) Nothing in this section shall limit the authority of a city, county, city and county, or fire protection district in establishing more restrictive requirements, in accordance with current law, than those specified in this section.

(g) This section shall not affect the validity of an ordinance, adopted prior to the effective date for the relevant roofing standard specified in subdivisions (a) and (b), by a city, county, city and county, or fire protection district, unless the ordinance mandates a standard that is less stringent than the standards set forth in subdivision (a), in which case the ordinance shall not be valid on or after the effective date for the relevant roofing standard specified in subdivisions (a) and (b).

(h) Any qualified historical building or structure as defined in Section 18955 may, on a case-by-case basis, utilize alternative roof constructions as provided by the State Historical Building Code.

(i) The installer of the roof covering shall provide certification of the roof covering classification, as provided by the manufacturer or supplier, to the building owner and, when requested, to the agency responsible for enforcement of this part. The installer shall also install the roof covering in accordance with the manufacturer's listing.

(j) (1) No wood roofing materials shall be sold in this state unless:

(A) On and after January 1, 1997, the materials have passed at least one year of the 10-year natural weathering test.

(B) On and after January 1, 1998, the materials have passed at least two years of the 10-year natural weathering test.

(C) On and after January 1, 1999, the materials have passed at least three years of the 10-year natural weathering test.

(D) On and after January 1, 2000, the materials have passed at least four years of the 10-year natural weathering test.

(E) On and after January 1, 2001, the materials have passed at least five years of the 10-year natural weathering test.

(2) The 10-year natural weathering test required by this subdivision shall be conducted in accordance with standard 15-2 of the 1994 edition of the Uniform Building Code at a testing facility recognized by the State Fire Marshal.

(k) The Insurance Commissioner shall accept the use of fire retardant wood roofing material that meets the requirements of this section, used in the partial repair or replacement of nonfire retardant wood roofing material, as meeting the requirement in Section 2695.9 of Title 10 of the California Code of Regulations relative to matching replacement items in quality, color, and size.

C. Public Resources Code (PRC)

Section 4202 - Classification of Zones.

The director shall classify lands within state responsibility areas into fire hazard severity zones. Each zone shall embrace relatively homogeneous lands and shall be based on fuel loading, slope, fire weather, and other relevant factors present.

Section 4203 - Designation of Zones and Fire Hazard Ratings.

(a) The director shall, by regulation, designate fire hazard severity zones and assign to each zone a rating reflecting the degree of severity of fire hazard that is expected to prevail in the zone.

(b) No designation of a zone and assignment of a rating shall be adopted by the director until the proposed regulation has been transmitted to the board of supervisors of the county in which the zone is located at least 45 days prior to the adoption of the proposed regulation and a public hearing has been held in that county during that 45-day period.

Section 4204 - Review of Zones and Maps.

The director shall periodically review zones designated and rated pursuant to this article and, as necessary, shall revise zones or their ratings or repeal the designation of zones. Any revision of a zone or its rating or any repeal of a zone shall conform to the requirements of Section 4203. In addition, the revision or repeal of a zone may be petitioned pursuant to Sections 113 40.6 and 11340.7 of the Government Code.

Section 4205 - Report of Legislative Committees.

The Director of Forestry and Fire Protection shall, not later than December 1, 1995, report to the appropriate committees of the Legislature on the impacts of designating very high fire hazard severity zones pursuant to Article 9 (commencing with Section 420 1) of Chapter I of Part 2 of Division 4, and Chapter 6.8 (commencing with Section 51175) of Part I of Division I of Title 5 of the Government Code, including identifying and recommending how to reconcile any disparities between the different mapping programs.

Section 4290 - Adoption of Building Standards within State Responsibility Areas.

(a) The board shall adopt regulations implementing minimum fire safety standards related to defensible space which are applicable to state responsibility area lands under the authority of the department. These regulations apply to the perimeters and access to all residential, commercial, and industrial building construction within state responsibility areas approved after January 1, 199 1. The board may not adopt building standards, as defined in Section 18909 of the Health and Safety Code, under the authority of this section. As an integral part of fire safety standards, the State Fire Marshal has the authority to adopt regulations for roof coverings and openings into the attic areas of buildings specified in Section 13108.5 of the Health and Safety Code. The regulations apply to the placement of mobile homes as defined by National Fire Protection Association standards. These regulations do not apply where an application for a building permit was filed prior to January 1, 199 1, or to parcel or tentative maps or other developments approved prior to January 1, 199 1, if the final map for the tentative map is approved within the time prescribed by the local ordinance. The regulations shall include all of the following:

- (1) Road standards for fire equipment access.
- (2) Standards for signs identifying streets, roads, and buildings.
- (3) Minimum private water supply reserves for emergency fire use.

(4) Fuel breaks and greenbelts.

(b) These regulations do not supersede local regulations which equal or exceed minimum regulations adopted by the state.

Section 4291 - Defensible Space.

Any person that owns, leases, controls, operates, or maintains any building or structure in, upon, or adjoining any mountainous area or forest-covered lands, brush-covered lands, or grass-covered lands, or any land which is covered with flammable material, shall at all times do all of the following:

(a) Maintain around and adjacent to such building or structure a firebreak made by removing and clearing away, for a distance of not less than 30 feet on each side thereof or to the property line, whichever is nearer, all flammable vegetation or other combustible growth. This subdivision does not apply to single specimens of trees, ornamental shrubbery, or similar plants which are used as ground cover, if they do not form a means of rapidly transmitting fire from the native growth to any building or structure.

(b) Maintain around and adjacent to any such building or structure additional fire protection or firebreak made by removing ail brush, flammable vegetation, or combustible growth which is located from 30 feet to 100 feet from such building or structure or to the property line, whichever is nearer, as may be required by the director if he finds that, because of extra hazardous conditions, a firebreak of only 30 feet around such building or structure is not sufficient to provide reasonable fire safety. Grass and other vegetation located more than 30 feet from such building or structure and less than 18 inches in height above the ground may be maintained where necessary to stabilize the soil and prevent erosion.

(c) Remove that portion of any tree which extends within 10 feet of the outlet of any chimney or stovepipe.

(d) Maintain any tree adjacent to or overhanging any building free of dead or dying wood.

(e) Maintain the roof of any structure free of leaves, needles, or other dead vegetative growth.

(f) Provide and maintain at all times a screen over the outlet of every chimney or stovepipe that is attached to any fireplace, stove, or other device that burns any solid or liquid fuel. The screen shall be constructed of nonflammable material with openings of not more than one-half inch in size.

(g) Except as provided in Section 18930 of the Health and Safety Code, the director may adopt regulations exempting structures with exteriors constructed entirely of nonflammable materials, or conditioned upon the contents and composition of same, he may vary the requirements respecting the removing or clearing away of flammable vegetation or other combustible growth with respect to the area surrounding said structures.

No such exemption or variance shall apply unless and until the occupant thereof, or if there be no occupant, then the owner thereof, files with the department, in such form as the director shall prescribe, a written consent to the inspection of the interior and contents of such structure to ascertain whether the provisions hereof and the regulations adopted hereunder are complied with at all times.

Section 4291.1 - Defensible Space; Violation.

(a) Notwithstanding Section 402 1, a violation of Section 4291 is an infraction punishable by a fine of not less than one hundred dollars (\$100), nor more than five hundred dollars (\$500). If a person is convicted of a second violation of Section 4291 within five years, that person shall be punished by a fine of not less than two hundred fifty dollars (\$250), nor more than five hundred dollars (\$500). If a person is convicted of a third violation of Section 4291 within five years, that person is guilty of a misdemeanor and shall be punished by a fine of not less than five hundred dollars (\$500). If a person is convicted of a third violation of Section 4291 within five years, the department may perform or contract for performance of work necessary to comply with Section 4291 and may bill the person convicted for the costs incurred, in which case the person convicted, upon payment of those costs, shall not be required to pay the fine. If a person convicted of a violation of Section 4291 is granted probation, the court shall impose as a term or

condition of probation, in addition to any other term or condition of probation, that the person pay at least the minimum fine prescribed in this section.

(b) If a person convicted of a violation of Section 4291 produces in court verification prior to imposition of a fine by the court, that the condition resulting in the citation no longer exists, the court may reduce the fine imposed for the violation of Section 4291 to fifty dollars (\$50).

D. California Code of Regulations

Section 1270 - SRA Fire Safe Regulations – Title14

These regulations shall be known as the "SRA Fire Safe Regulations," and shall constitute the basic wildland fire protection standards of the California Board of Forestry.

Section 1270.01 - Purpose.

These regulations have been prepared and adopted for the purpose of establishing minimum wildfire protection standards in conjunction with building, construction and developments in SRA. A local jurisdiction may petition the Board for certification pursuant to* section 1270.03. Where Board certification has not been granted, these regulations shall become effective September 1, 1991. The future design and construction of structures, subdivisions and developments in State Responsibility Area (SRA) shall provide for basic emergency access and perimeter wildfire protection measures as specified in the following articles. These measures shall provide for emergency access; signing and building numbering; private water supply reserves for emergency fire use; and vegetation modification. The fire protection standards which follow shall specify the minimums for such measures.

Section 1270.02 - Scope.

These regulations do not apply to existing structures, roads, streets and private lanes or facilities. These regulations shall apply as appropriate to all construction within SRA approved after January 1, 1991. Affected activities include but are not limited to:

- (a) Permitting or approval of new parcels, excluding lot line adjustments as specified in Government Code (GC) section 66412(d).
- (b) application for a building permit for new construction, not relating to an existing structure,
- (c) application for a use permit,
- (d) the siting of manufactured homes (manufactured homes are as defined by the National Fire Protection Association, National Fire Code, section 501A, Standard for Fire Safety Criteria for Manufactured Home Installations, Sites and Communities, chapter 1, section 1-2, Definitions, page 4, 1987 edition and Health and Safety Code sections 18007, 18008, and 19971).
- (e) road construction, including construction of a road that does not currently exist, or extension of an existing road.

Section 1270.03 - Local Ordinances.

Nothing contained in these regulations shall be considered as abrogating the provisions of any ordinance, rule or regulations of any state or local jurisdiction providing such ordinance, rule, regulation or general plan element is equal to or more stringent than these minimum standards. The Board may certify local ordinances as equaling or exceeding these regulations when they provide the same practical effect.

Section 1270.04 - Provisions for Application of These Regulations

This subchapter shall be applied as follows:

(a) local jurisdictions shall provide the Director with notice of applications for building permits, tentative parcel maps, tentative maps, and use permits for construction or development within SRA.

(b) the Director shall review and make fire protection recommendations on applicable construction or development permits or maps provided by the local jurisdiction.

(c) the local jurisdiction shall ensure that the applicable sections of this subchapter become a condition of approval of any applicable construction or development permit or map.

Section 1270.05 - Inspection Authority.

(a) Inspection shall be made pursuant to section 1270.06 by:

(1) the Director, or

(2) local jurisdictions that have assumed state fire protection responsibility on SRA lands, or

(3) local jurisdictions where these regulations have been implemented through that jurisdiction's building permit or subdivision approval process.

(b) Reports of violations shall be provided to the CDF Ranger Unit headquarters that administers SRA fire protection in that county.

Section 1270.06 - Inspections.

The inspection authority may inspect for compliance with these regulations. When inspections are conducted, they should occur prior to: the issuance of the use permit; certificate of occupancy; the recordation of the parcel map or final map; the filing of a notice of completion; or the final inspection of any project or building permit.

Section 1270.07 - Exceptions to Standards.

Upon request by the applicant, exceptions to standards within this subchapter and mitigated practices may be allowed by the inspection authority, where the exception provides the same overall practical effect as these regulations towards providing defensible space.

Section 1270.08 - Requests for Exceptions.

Requests for an exception shall be made in writing to the inspection authority by the applicant or the applicant's authorized representative. The request shall state the specific section(s) for which an exception is requested, material facts supporting the contention of the applicant, the details of the exception or mitigating measure proposed, and a map showing the proposed location and siting of the exception or mitigation measure.

Section 1270.09 - Appeals.

Where an exception is not granted by the inspection authority, the applicant may appeal such denial to the local jurisdiction. The local jurisdiction may establish or utilize an appeal process consistent with existing local building or planning department appeal processes.

Before the local jurisdiction makes a determination on an appeal, the inspection authority shall be consulted and shall provide to that local jurisdiction documentation outlining the effects of the requested exception on wildland fire protection.

If an appeal is granted, the local jurisdiction shall make findings that the decision meets the intent of providing defensible space consistent with these regulations. Such findings shall include a statement of

reasons for the decision. A written copy of these findings shall be provided to the CDF Ranger Unit headquarters that administers SRA fire protection in that county.

Section 1271.00 - Definitions.

Accessory building: Any building used as an accessory to residential, commercial, recreational, industrial, or educational purposes as defined in the California Building Code ...

Agriculture: Land used for agricultural purposes as defined in a local jurisdiction's zoning ordinances.

Building: Any structure used or intended for supporting or sheltering any use or occupancy that is defined in the California Building Code ... For the purposes of this subchapter, building includes mobile homes and manufactured homes, churches, and day care facilities.

CDF: California Department of Forestry and Fire Protection.

Dead-end road: A road that has only one point of vehicular ingress/egress, including cul-de-sacs and looped roads.

Defensible space: The area within the perimeter of a parcel, development, neighborhood or community where basic wildland fire protection practices and measures are implemented, providing the key point of defense from an approaching wildfire or defense against encroaching wildfires or escaping structure fires. The perimeter as used in this regulation is the area encompassing the parcel or parcels proposed for construction and/or development, excluding the physical structure itself. The area is characterized by the establishment and maintenance of emergency vehicle access, emergency water reserves, street names and building identification, and fuel modification measures.

Development: As defined in section 66418.1 of the California Government Code.

Director: Director of the Department of Forestry and Fire Protection or his/her designee.

Driveway: A vehicular access that serves no more than two buildings, with no more than 3 dwelling units on a single parcel, and any number of accessory buildings.

Dwelling unit: Any building or portion thereof which contains living facilities, including provisions for sleeping, eating, cooking and/or sanitation for not more than one family.

Exception: An alternative to the specified standard requested by the applicant that may be necessary due to health, safety, environmental conditions, physical site limitations or other limiting conditions such as recorded historical sites, that provides mitigation of the problem.

Fire valve: see hydrant.

Fuel modification area: An area where the volume of flammable vegetation has been reduced, providing reduced fire intensity and duration.

Greenbelt: A facility or land use, designed for a use other than fire protection, which will slow or resist the spread of a wildfire. Includes parking lots, irrigated or landscaped areas, golf courses, parks playgrounds, maintained vineyards, orchards or annual crops that do not cure in the field.

Hammerhead/T: A roadway that provides a "T" shaped, three-point turnaround space for emergency equipment, being no narrower than the road that serves it.

Hydrant: A valved connection on a water supply/storage system, having at least one 2 1/2 inch outlet, with male American National Fire Hose Screw Threads (NH) used to supply fire apparatus and hoses with water.

Local Jurisdiction: Any county, city/county agency or department, or any locally authorized district that issues or approves building permits, use permits, tentative maps or tentative parcel maps, or has authority to regulate development and construction activity.

Occupancy: The purpose for which a building, or part thereof, is used or intended to be used.

One-way road: A minimum of one traffic lane width designed for traffic flow in one direction only.

Roads, streets, private lanes: Vehicular access to more than one parcel; access to any industrial or commercial occupancy; or vehicular access to a single parcel with more than two buildings or four or more dwelling units.

Roadway: Any surface designed, improved, or ordinarily used for vehicle travel.

Roadway structures: Bridges, culverts, and other appurtenant structures which supplement the roadway bed or shoulders.

Same Practical Effect: As used in this subchapter, means an exception or alternative with the capability of applying accepted wildland fire suppression strategies and tactics, and provisions for fire fighter safety, including:

- (a) access for emergency wildland fire equipment,
- (b) safe civilian evacuation,
- (c) signing that avoids delays in emergency equipment response,
- (d) available and accessible water to effectively attack wildfire or defend a structure from wildfire,

and

- (e) fuel modification sufficient for civilian and fire fighter safety.

Shoulder: Roadbed or surface adjacent to the traffic lane.

State Board of Forestry (SBOF): ~ A nine member board, appointed by the Governor, which is responsible for developing the general forest policy of the state, for determining the guidance policies of the Department of Forestry and Fire Protection, and for representing the state's interest in federal land in California.

State Responsibility Area (SRA): As defined in Public Resources Code sections 4126-4127; and the California Code of Regulations, title 14, division 1.5, chapter 7, article 1, sections 1220-1220.5.

Structure: That which is built or constructed, an edifice or building of any kind, or any piece of work artificially built up or composed of parts joined together in some definite manner.

Subdivision: As defined in section 66424 of the Government Code.

Traffic lane: The portion of a roadway that provides a single line of vehicle travel.

Turnaround: A roadway, unobstructed by parking, which allows for a safe opposite change of direction for emergency equipment. Design of such area may be a hammerhead/T or terminus bulb.

Turnouts: A widening in a roadway to allow vehicles to pass.

Vertical clearance: The minimum specified height of a bridge or overhead projection above the roadway.

Wildfire: As defined in Public Resources Code sections 4103 and 4104.

Section 1272.00 - Maintenance of Defensible Space Measures.

To ensure continued maintenance of properties in conformance with these standards and measures and to assure continued availability, access, and utilization of the defensible space provided for in these standards during a wildfire, provisions for annual maintenance shall be included in the development plans and/or shall be provided as a condition of the permit, parcel or map approval.

Section 1273.00 - Emergency Access - Intent.

Road and street networks, whether public or private, unless exempted under section 1270.02(e), shall provide for safe access for emergency wildland fire equipment and civilian evacuation concurrently, and shall provide unobstructed traffic circulation during a wildfire emergency consistent with sections 1273.00 through 1273.11.

Section 1273.01 - Road Width.

All roads shall be constructed to provide a minimum of two nine-foot traffic lanes providing twoway traffic flow, unless other standards are provided in this article, or additional requirements are mandated by local jurisdictions or local subdivision requirements.

Section 1273.02 - Roadway Surface.

The surface shall provide unobstructed access to conventional drive vehicles, including sedans and fire engines. Surfaces should be established in conformance with local ordinances, and be capable of supporting a 40,000 pound load.

Section 1273.03 - Roadway Grades.

The grade for all roads, streets, private lanes and driveways shall not exceed 16 percent.

Section 1273.04 - Roadway Radius.

(a) No roadway shall have a horizontal inside radius of curvature of less than 50 feet and additional surface width of 4 feet shall be added to curves of 50- 100 feet radius; 2 feet to those from 100-200 feet.

(b) The length of vertical curves in roadways, exclusive of gutters, ditches, and drainage structures designed to hold or divert water, shall be not less than 100 feet.

Section 1273.05 - Roadway Turnarounds.

Turnarounds are required on driveways and dead-end roads as specified in this article. The minimum turning radius for a turnaround shall be 40 feet from the center line of the road. If a hammerhead/T is used, the top of the "T" shall be a minimum of 60 feet in length.

Section 1273.06 - Roadway Turnouts.

Turnouts shall be a minimum of 10 feet wide and 30 feet long with a minimum 25 foot taper on each end.

Section 1273.07 - Roadway Structures.

(a) All driveway, road, street, and private lane roadway structures shall be constructed to carry at least the maximum load and provide the minimum vertical clearance as required by Vehicle Code sections 35550, 35750, and 35250.

(b) Appropriate signing, including but not limited to weight or vertical clearance limitations, one-way road or single land conditions, shall reflect the capability of each bridge.

(c) A bridge with only one traffic lane may be authorized by the local jurisdiction; however, it shall provide for unobstructed visibility from one end to the other and turnouts at both ends.

Section 1273.08 - One-way Roads.

All one-way roads shall be constructed to provide a minimum of one 10-foot traffic lane. The local jurisdiction may approve one-way roads. All one-way roads shall connect to a two-lane roadway at both ends, and shall provide access to an area currently zoned for no more than 10 dwelling units. In no case, shall it exceed 2640 feet in length. A turnout shall be placed and constructed at approximately the midpoint of each one-way road.

Section 1273.09 - Dead-End Roads.

(a) The maximum length of a dead-end road, including all dead-end roads accessed from the dead-end road, shall not exceed the following cumulative lengths, regardless of the number of parcels served:

parcels zoned for less than one acre - 800 feet

parcels zoned for 1 acre to 4.99 acres - 1320 feet
parcels zoned for 5 acres to 19.99 acres - 2640 feet
parcels zoned for 20 acres or larger - 5280 feet

All lengths shall be measured from the edge of the roadway surface at the intersection that begins the road to the end of the road surface at its farthest point. Where a dead-end road crosses areas of differing zoned parcel sizes, requiring different length limits, the shortest allowable length shall apply.

(b) Where parcels are zoned 5 acres or larger, turnarounds shall be provided at a maximum of 1320 foot intervals.

(c) Each dead-end road shall have a turnaround constructed at its terminus.

Section 1273.10 -Driveways.

All driveways shall provide a minimum 10 foot traffic lane and unobstructed vertical clearance of 15 feet along its entire length.

(a) Driveways exceeding 150 feet in length, but less than 800 feet in length, shall provide a turnout near the midpoint of the driveway. Where the driveway exceeds 800 feet, turnouts shall be provided no more than 400 feet apart.

(b) A turnaround shall be provided at all buildings sites on driveways over 300 feet in length, and shall be within 50 feet of the building.

Section 1273.11 - Gate Entrances.

(a) Gate entrances shall be at least two feet wider than the width of the traffic lane(s) serving that gate.

(b) All gates providing access from a road to a driveway shall be located at least 30 feet from the roadway and shall open to allow a vehicle to stop without obstructing traffic on that road.

(c) Where a one-way road with a single traffic lane provides access to a gated entrance, a 40 foot turning radius shall be used.

Section 1274.00 - Signing and Building Numbering - Intent

To facilitate locating a fire and to avoid delays in response, all newly constructed or approved roads, street, and buildings shall be designated by names or numbers, posted on signs clearly visible and legible from the roadway. This section shall not restrict the size of letters or numbers appearing on street signs for other purposes.

Section 1274.01 - Size of Letters, Numbers and Symbols for Street and Road Signs

Size of letters, numbers, and symbols for street and road signs shall be a minimum 3 inch letter height, 3/8 inch stroke, reflectorized, contrasting with the background color of the sign.

Section 1274.02 - Visibility and Legibility of Street and Road Signs

Street and road signs shall be visible and legible from both directions of vehicle travel for a distance of at least 100 feet.

Section 1274.03 - Height of Street and Road Signs.

Height of street and road signs shall be uniform county wide, and meet the visibility and legibility standards of this article.

Section 1274.04 - Names and Numbers on Street and Road Signs

Newly constructed or approved public and private roads and streets must be identified by name or number through a consistent county-wide system that provides for sequenced or patterned numbering and/or non-duplicating naming within each county. All signs shall be mounted and oriented in a uniform manner. This section does not require any entity to rename or renumber existing roads or streets, nor shall a roadway providing access only to a single commercial or industrial occupancy require naming or numbering.

Section 1274.05 - Intersecting Roads, Streets and Private Lanes.

Signs required by this article identifying intersecting roads, streets and private lanes shall be placed at the intersection of those roads, streets, and/or private lanes.

Section 1274.06 - Signs Identifying Traffic Access Limitations.

A sign identifying traffic access or flow limitations, including but not limited to weight or vertical clearance limitations, dead-end road, one-way road or single lane conditions, shall be placed:

- (a) at the intersection preceding the traffic access limitation, and
- (b) no more than 100 feet before such traffic access limitation.

Section 1274.07 - Installation of Road, Street and Private Lane Signs

Road, street and private lane signs required by this article shall be installed prior to final acceptance by the local jurisdiction of road improvements.

Section 1274.08 - Addresses for Buildings

All buildings shall be issued an address by the local jurisdiction which conforms to that jurisdiction's overall address system. Accessory buildings will not be required to have a separate address; however, each dwelling unit within a building shall be separately identified.

Section 1274.09 - Size of Letters, Numbers and Symbols for Addresses.

Size of letters, numbers and symbols for addresses shall be a minimum 3 inch letter height, 3/8 inch stroke, reflectorized, contrasting with the background color of the sign.

Section 1274.10 - Installation, Location and Visibility of Addresses.

- (a) All buildings shall have a permanently posted address, which shall be placed at each driveway entrance and visible from both directions of travel along the road. In all cases, the address shall be posted at the beginning of construction and shall be maintained thereafter, and the address shall be visible and legible for the road on which the address is located.
- (b) Address signs along on-way roads shall be visible from both the intended direction of travel and the opposite direction.
- (c) Where multiple addresses are required at a single driveway, they shall be mounted on a single post.
- (d) Where a roadway provides access solely to a single commercial or industrial business, the address sign shall be placed at the nearest road intersection providing access to that site.

Section 1275.00 - Emergency Water Standards - Intent.

Emergency water for wildfire protection shall be available and accessible in quantities and locations specified in the statute and these regulations, in order to attack a wildfire or defend property from a wildfire.

Such emergency water may be provided in a fire agency mobile water tender, or naturally occurring or man-made containment structure, as long as the specified quantity is immediately available.

Section 1275.01 - Application.

The provisions of this article shall apply when new parcels are approved by a local jurisdiction. The emergency water system shall be available on-site prior to the completion of road construction, where a community water system is approved, or prior to the completion of building construction, where an individual system is approved.

Section 1275.10 - General Standards.

Water systems that meet or exceed the standards specified in Public Utilities Commission of California (PUC) revised General Order # 103, Adopted June 12, 1956 (Corrected September 7, 1983, Decision 83-09-001), section VIII Fire Protection Standards and other applicable sections relating to fire protection water delivery systems, static water systems equaling or exceeding the National Fire Protection Association (NFPA) Standard 123 1, "Standard on Water Supplies for Suburban and Rural Fire Fighting," 1989 Edition, or mobile water systems that meet the Insurance Services Office (ISO) Rural Class 8, 2nd Edition 3-80, standard shall be accepted as meeting the requirements of this article. These documents are available at CDF Ranger Unit Headquarters.

Nothing in this article prohibits the combined storage of emergency wildfire and structural firefighting water supplies unless so prohibited by local ordinance or specified by the local fire agency.

Where freeze protection is required by local jurisdictions, such protection measures shall be provided.

Section 1275.15 - Hydrant/Fire Valve.

(a) The hydrant or fire valve shall be 18 inches above grade, 8 feet from flammable vegetation, no closer than 4 feet nor farther than 12 feet from a roadway, and in a location where fire apparatus using it will not block the roadway.

The hydrant serving any building shall:

(1) be not less than 50 feet nor more than 1/2 mile by road from the building it is to serve, and
(2) be located at a turnout or turnaround, along the driveway to that building or along the road that intersects with that driveway.

(b) The hydrant head shall be brass with 2 1/2 inch National Hose male thread with cap for pressure and gravity flow systems and 4 1/2 inch draft systems. Such hydrants shall be wet or dry barrel as required by the delivery system. They shall have suitable crash protection as required by the local jurisdiction.

Section 1275.20 - Signing of Water Sources.

Each hydrant/fire valve or access to water shall be identified as follows:

(a) if located along a driveway, a reflectorized blue marker, with a minimum dimension of 3 inches shall be located on the driveway address sign and mounted on a fire retardant post, or

(b) if located along a street or road,

(1) a reflectorized blue marker, with a minimum dimension of 3 inches, shall be mounted on a fire

retardant post. The sign post shall be within 3 feet of said hydrant/fire valve, with the sign no less than 3 feet nor greater than 5 feet above ground, in a horizontal position and visible from the driveway, or

(2) as specified in the State Fire Marshal's Guidelines for Fire Hydrant Markings Along State Highways and Freeways, May 1988.

Section 1276.00 - Fuel Modification Standards - Intent.

To reduce the intensity of a wildfire by reducing the volume and density of flammable vegetation, the strategic siting of fuel modification and greenbelts shall provide

- (1) increased safety for emergency fire equipment and evacuating civilians; and
- (2) a point of attack or defense from a wildfire.

Section 1276.01 - Setback for Structure Defensible Space.

(a) All parcels I acre and larger shall provide a minimum 30 foot setback for buildings and accessory buildings from all property lines and/or the center of a road.

(b) For parcels less than I acre, local jurisdictions shall provide for the same practical effect.

Section 1276.02 - Disposal of Flammable Vegetation and Fuels.

Disposal, including chipping, burying, burning or removal to a landfill site approved by the local jurisdiction, of flammable vegetation and fuels caused by site development and construction, road and driveway construction, and fuel modification shall be completed prior to completion of road construction or final inspection of a building permit.

Section 1276.03 - Greenbelts.

Subdivisions and other developments, which propose greenbelts as a part of the development plan, shall located said greenbelts strategically, as a separation between wildland fuels and structures. The locations shall be approved by the inspection authority.

Section 1280 - Fire Hazard Severity Zones

The fire hazard severity zones and the rating reflecting the degree of severity of fire hazard that is expected to prevail in those zones, shall be designated by the Director and delineated on a series of maps on file in the Sacramento Office of the Department of Forestry, 1416 Ninth Street, Room 1653- 10. The maps are entitled "Maps of Fire Hazard Severity Zones in the State Responsibility Area of California," dated August 1984.

E. Civil Code

Section 1103 – Natural Hazard Disclosure.

(a) Except as provided in Section 1103.2, this article applies to any transfer by sale, exchange, installment land sale contract, as defined in Section 2985, lease with an option to purchase, any other option to purchase, or ground lease coupled with improvements, of any real property described in subdivision (c), or residential stock cooperative, improved with or consisting of not less than one nor more than four dwelling units.

(b) Except as provided in Section 1103.2, this article shall apply to a resale transaction entered into on or after January 1, 2000, for a manufactured home, as defined in Section 18007 of the Health and

Safety Code, that is classified as personal property intended for use as a residence, or a mobilehome, as defined in Section 18008 of the Health and Safety Code, that is classified as personal property intended for use as a residence, if the real property on which the manufactured home or mobilehome is located is real property described in subdivision (c).

(c) This article shall apply to the transactions described in subdivisions (a) and (b) only if the transferor or his or her agent are required by one or more of the following to disclose the property's location within a hazard zone:

(3) A transferor of real property that is located within a very high fire hazard severity zone, designated pursuant to Section 51178 of the [Government] Code, shall disclose to any prospective transferee the fact that the property is located within a very high fire hazard severity zone and is subject to the requirements of Section 51182 if either:

(A) The transferor, or the transferor's agent, has actual knowledge that the property is within a very high fire hazard severity zone.

(B) A map that includes the property has been provided to the local agency pursuant to Section 51178 of the [Government] Code and a notice has been posted at the offices of the county recorder, county assessor, and county planning agency that identifies the location of the map and any information regarding changes to the map received by the local agency.

(6) A transferor of real property that is located within a state responsibility area determined by the board, pursuant to Section 4125 of the Public Resources Code, shall disclose to any prospective transferee the fact that the property is located within a wildland area that may contain substantial forest fire risks and hazards and is subject to the requirements of Section 4291 if either:

(A) The transferor, or the transferor's agent, has actual knowledge that the property is within a wildland fire zone.

(B) A map that includes the property has been provided to the city or county pursuant to Section 4125 of the Public Resources Code and a notice has been posted at the offices of the county recorder, county assessor, and county planning agency that identifies the location of the map and any information regarding changes to the map received by the county.

(d) Any waiver of the requirements of this article is void as against public policy.

Section 1103.1 - Exceptions.

(a) This article does not apply to the following transfers:

(1) Transfers pursuant to court order, including, but not limited to, transfers ordered by a probate court in administration of an estate, transfers pursuant to a writ of execution, transfers by any foreclosure sale, transfers by a trustee in bankruptcy, transfers by eminent domain, and transfers resulting from a decree for specific performance.

(2) Transfers to a mortgagee by a mortgagor or successor in interest who is in default, transfers to a beneficiary of a deed of trust by a trustor or successor in interest who is in default, transfers by any foreclosure sale after default, transfers by any foreclosure sale after default in an obligation secured by a mortgage, transfers by a sale under a power of sale or any foreclosure sale under a decree of foreclosure after default in an obligation secured by a deed of trust or secured by any other instrument containing a power of sale, or transfers by a mortgagee or a beneficiary under a deed of trust who has acquired the real property at a sale conducted pursuant to a power of sale under a mortgage or deed of trust or a sale pursuant to a decree of foreclosure or has acquired the real property by a deed in lieu of foreclosure.

(3) Transfers by a fiduciary in the course of the administration of a decedent's estate, guardianship, conservatorship, or trust.

(4) Transfers from one coowner to one or more other coowners.

(5) Transfers made to a spouse, or to a person or persons in the lineal line of consanguinity of one or more of the transferors.

(6) Transfers between spouses resulting from a judgment of dissolution of marriage or of legal separation of the parties or from a property settlement agreement incidental to that judgment.

(7) Transfers by the Controller in the course of administering Chapter 7 (commencing with Section 1500) of Title 10 of Part 3 of the Code of Civil Procedure.

(8) Transfers under Chapter 7 (commencing with Section 3691) or Chapter 8 (commencing with Section 3771) of Part 6 of Division 1 of the Revenue and Taxation Code.

(9) Transfers or exchanges to or from any governmental entity.

(b) Transfers not subject to this article may be subject to other disclosure requirements, including those under Sections 8589.3, 8589.4, and 51183.5 of the Government Code and Sections 2621.9, 2694, and 4136 of the Public Resources Code. In transfers not subject to this article, agents may make required disclosures in a separate writing.

Section 1103.2 – Natural Hazard Disclosure Statement.

(a) The disclosures required by this article are set forth in, and shall be made on a copy of, the following Natural Hazard Disclosure Statement:

NATURAL HAZARD DISCLOSURE STATEMENT

This statement applies to the following property: _____

The transferor and his or her agent(s) disclose the following information with the knowledge that even though this is not a warranty, prospective transferees may rely on this information in deciding whether and on what terms to purchase the subject property.

Transferor hereby authorizes any agent(s) representing any principal(s) in this action to provide a copy of this statement to any person or entity in connection with any actual or anticipated sale of the property.

The following are representations made by the transferor and his or her agent(s) based on their knowledge and maps drawn by the state and federal governments. This information is a disclosure and is not intended to be part of any contract between the transferee and transferor.

THIS REAL PROPERTY LIES WITHIN THE FOLLOWING HAZARDOUS AREA(S):

A SPECIAL FLOOD HAZARD AREA (Any type Zone "A" or "V") designated by the Federal Emergency Management Agency.

Yes _____ No _____ Do not know and information not available from local jurisdiction _____

AN AREA OF POTENTIAL FLOODING shown on a dam failure inundation map pursuant to Section 8589.5 of the Government Code.

Yes _____ No _____ Do not know and information not available from local jurisdiction _____

A VERY HIGH FIRE HAZARD SEVERITY ZONE pursuant to Section 51178 or 51179 of the Government Code. The owner of this property is subject to the maintenance requirements of Section 51182 of the Government Code.

Yes _____ No _____

A WILDLAND AREA THAT MAY CONTAIN SUBSTANTIAL FOREST FIRE RISKS AND HAZARDS pursuant to Section 4125 of the Public Resources Code. The owner of this property is subject to the maintenance requirements of Section 4291 of the Public Resources Code. Additionally, it is not the state's responsibility to provide fire protection services to any building or structure located within the wildlands unless the Department of Forestry and Fire Protection has entered into a cooperative agreement with a local agency for those purposes pursuant to Section 4142 of the Public Resources Code.

Yes _____ No _____

AN EARTHQUAKE FAULT ZONE pursuant to Section 2622 of the Public Resources Code.

Yes _____ No _____

A SEISMIC HAZARD ZONE pursuant to Section 2696 of the Public Resources Code.

Yes (Landslide Zone) _____ Yes (Liquefaction Zone) _____ No _____

Map not yet released by state _____

THESE HAZARDS MAY LIMIT YOUR ABILITY TO DEVELOP THE REAL PROPERTY, TO OBTAIN INSURANCE, OR TO RECEIVE ASSISTANCE AFTER A DISASTER. THE MAPS ON WHICH THESE DISCLOSURES ARE BASED ESTIMATE WHERE NATURAL HAZARDS EXIST. THEY ARE NOT DEFINITIVE INDICATORS OF WHETHER OR NOT A PROPERTY WILL BE AFFECTED BY A NATURAL DISASTER. TRANSFEREE(S) AND TRANSFEROR(S) MAY WISH TO OBTAIN PROFESSIONAL ADVICE REGARDING THOSE HAZARDS AND OTHER HAZARDS THAT MAY AFFECT THE PROPERTY.

Transferor represents that the information herein is true and correct to the best of the transferor's knowledge as of the date signed by the transferor.

Signature of Transferor _____ Date _____

Agent represents that the information herein is true and correct to the best of the agent's knowledge as of the date signed by the agent.

Signature of Agent _____ Date _____

Signature of Agent _____ Date _____

Transferee represents that he or she has read and understands this document.

Signature of Transferee _____ Date _____

(b) If an earthquake fault zone, seismic hazard zone, very high fire hazard severity zone, or wildland fire area map or accompanying information is not of sufficient accuracy or scale that a reasonable person can determine if the subject real property is included in a natural hazard area, the transferor or transferor's agent shall mark "Yes" on the Natural Hazard Disclosure Statement. The transferor or transferor's agent may mark "No" on the Natural Hazard Disclosure Statement if he or she attaches a

report prepared pursuant to subdivision (c) of Section 1103.4 that verifies the property is not in the hazard zone. Nothing in this subdivision is intended to limit or abridge any existing duty of the transferor or the transferor's agents to exercise reasonable care in making a determination under this subdivision.

(e) The disclosure required pursuant to this article may be provided by the transferor and the transferor's agent in the Local Option Real Estate Disclosure Statement described in Section 1102.6a, provided that the Local Option Real Estate Disclosure Statement includes substantially the same information and substantially the same warnings that are required by this section.

(f) The disclosure required by this article is only a disclosure between the transferor, the transferor's agents, and the transferee, and shall not be used by any other party, including, but not limited to, insurance companies, lenders, or governmental agencies, for any purpose.

(g) In any transaction in which a transferor has accepted, prior to June 1, 1998, an offer to purchase, the transferor, or his or her agent, shall be deemed to have complied with the requirement of subdivision (a) if the transferor or agent delivers to the prospective transferee a statement that includes substantially the same information and warning as the Natural Hazard Disclosure Statement.

Section 1103.3 – Disclosure Terms.

(a) The transferor of any real property subject to this article shall deliver to the prospective transferee the written statement required by this article, as follows:

(1) In the case of a sale, as soon as practicable before transfer of title.

(2) In the case of transfer by a real property sales contract, as defined in Section 2985, or by a lease together with an option to purchase, or a ground lease coupled with improvements, as soon as practicable before execution of the contract. For the purpose of this subdivision, "execution" means the making or acceptance of an offer.

(b) The transferor shall indicate compliance with this article either on the receipt for deposit, the real property sales contract, the lease, any addendum attached thereto, or on a separate document.

(c) If any disclosure, or any material amendment of any disclosure, required to be made pursuant to this article is delivered after the execution of an offer to purchase, the transferee shall have three days after delivery in person or five days after delivery by deposit in the mail to terminate his or her offer by delivery of a written notice of termination to the transferor or the transferor's agent.

Section 1103.4 – Errors and Omissions.

(a) Neither the transferor nor any listing or selling agent shall be liable for any error, inaccuracy, or omission of any information delivered pursuant to this article if the error, inaccuracy, or omission was not within the personal knowledge of the transferor or the listing or selling agent, and was based on information timely provided by public agencies or by other persons providing information as specified in subdivision (c) that is required to be disclosed pursuant to this article, and ordinary care was exercised in obtaining and transmitting the information.

(b) The delivery of any information required to be disclosed by this article to a prospective transferee by a public agency or other person providing information required to be disclosed pursuant to this article shall be deemed to comply with the requirements of this article and shall relieve the transferor or any listing or selling agent of any further duty under this article with respect to that item of information.

(c) The delivery of a report or opinion prepared by a licensed engineer, land surveyor, geologist, or expert in natural hazard discovery dealing with matters within the scope of the professional's license or expertise, shall be sufficient compliance for application of the exemption provided by subdivision (a) if the information is provided to the prospective transferee pursuant to a request therefor, whether written or oral. In responding to that request, an expert may indicate, in writing, an understanding that the information provided will be used in fulfilling the requirements of Section 1103.2 and, if so, shall indicate the required

disclosures, or parts thereof, to which the information being furnished is applicable. Where that statement is furnished, the expert shall not be responsible for any items of information, or parts thereof, other than those expressly set forth in the statement.

Section 1103.5 – Limitation of Liability.

(a) After a transferor and his or her agent comply with Section 1103.2, they shall be relieved of further duty under this article with respect to those items of information. The transferor and his or her agent shall not be required to provide notice to the transferee if the information provided subsequently becomes inaccurate as a result of any governmental action, map revision, changed information, or other act or occurrence, unless the transferor or agent has actual knowledge that the information has become inaccurate.

(b) If information disclosed in accordance with this article is subsequently rendered inaccurate as a result of any governmental action, map revision, changed information, or other act or occurrence subsequent to the delivery of the required disclosures, the inaccuracy resulting therefrom does not constitute a violation of this article.

Section 1103.7 – Good Faith.

Each disclosure required by this article and each act that may be performed in making the disclosure shall be made in good faith. For purposes of this article, "good faith" means honesty in fact in the conduct of the transaction.

Section 1103.8 – Other Obligations.

(a) The specification of items for disclosure in this article does not limit or abridge any obligation for disclosure created by any other provision of law or that may exist in order to avoid fraud, misrepresentation, or deceit in the transfer transaction. The legislature does not intend to affect the existing obligations of the parties to a real estate contract, or their agents, to disclose any fact materially affecting the value and desirability of the property, including, but not limited to, the physical condition of the property and previously received reports of physical inspection noted on the disclosure form provided pursuant to Section 1102.6 or 1102.6a.

(b) Nothing in this article shall be construed to change the duty of a real estate broker or salesperson pursuant to Section 2079.

Section 1103.9 - Amendments.

Any disclosure made pursuant to this article may be amended in writing by the transferor or his or her agent, but the amendment shall be subject to Section 1103.3.

Section 1103.10 – Delivery of Disclosure.

Delivery of disclosures required by this article shall be by personal delivery to the transferee or by mail to the prospective transferee. For the purposes of this article, delivery to the spouse of a transferee shall be deemed delivery to the transferee, unless provided otherwise by contract.

Section 1103.11 – Authorization of Agent.

Any person or entity, other than a real estate licensee licensed pursuant to Part 1 (commencing with Section 10000) of Division 4 of the Business and Professions Code, acting in the capacity of an escrow agent for

the transfer of real property subject to this article shall not be deemed the agent of the transferor or transferee for purposes of the disclosure requirements of this article, unless the person or entity is empowered to so act by an express written agreement to that effect. The extent of that agency shall be governed by the written agreement.

Section 1103.12 – Multiple Agents.

(a) If more than one licensed real estate broker is acting as an agent in a transaction subject to this article, the broker who has obtained the offer made by the transferee shall, except as otherwise provided in this article, deliver the disclosure required by this article to the transferee, unless the transferor has given other written instructions for delivery.

(b) If a licensed real estate broker responsible for delivering the disclosures under this section cannot obtain the disclosure document required and does not have written assurance from the transferee that the disclosure has been received, the broker shall advise the transferee in writing of his or her rights to the disclosure. A licensed real estate broker responsible for delivering disclosures under this section shall maintain a record of the action taken to effect compliance in accordance with Section 10148 of the Business and Professions Code.

Section 1103.13 – Failure to Comply.

No transfer subject to this article shall be invalidated solely because of the failure of any person to comply with any provision of this article. However, any person who willfully or negligently violates or fails to perform any duty prescribed by any provision of this article shall be liable in the amount of actual damages suffered by a transferee.

Section 1103.14 - Definitions.

(a) As used in this article, "listing agent" means listing agent as defined in subdivision (f) of Section 1086.

(b) As used in this article, "selling agent" means selling agent as defined in subdivision (g) of Section 1086, exclusive of the requirement that the agent be a participant in a multiple listing service as defined in Section 1087.